

EC CLINICAL AND EXPERIMENTAL ANATOMY Review Article

Clinical Teaching Values in Implementation of a New Model

Rudina Çerçizaj*, Emirjona Kiçaj and Neritan Qirici

Faculty of Public Health, University "Ismail Qemali" Vlora, Regional Hospital of Vlora, Albania

*Corresponding Author: Rudina Çerçizaj, Faculty of Public Health, University "Ismail Qemali" Vlora, Regional Hospital of Vlora, Albania.

Received: May 01, 2019; Published: June 27, 2019

Abstract

Introduction: Clinical practice is a very important element in the education of the nursing students. The nurses' knowledge is closely related to practical clinic and the achievements in this area come through the implementation of the practical clinic in the health institutions. Nursing students should demonstrate their competencies in medical environment

The Aim of the Study: To conform cluster model is the right one to be followed in realizing the teaching practices on the nursing students of the Public Health Faculty

Specific Objectives: To improve the students' abilities toward the basic nursing procedures.

Materials and Methods: This is an experimental study, realized in the Faculty of Public Health during the time period of March-June 2015, lasting for 15 weeks during the spring semester of 2015 academic year. This study was realized with the students of Public Health Faculty who work at the Hospital of Vlora. To evaluate the clinical skills of student's practice I used the (CLES+T) evaluation scale 4 (Saarikoski and Leino-Kilpi 2008). This questionnaire was adapted according to the population and the aim of the study. The statistical analyses was done by SPSS Statistics 17.0.

Results: A very important element of the study was the pre and post evaluation of the students toward the realization of ten nursing procedures. The procedures that follow have an improved difference on the grade scale; medicine administration IV for the experimental group 53.3%, while the control group 16.7%.

Conclusions: Results of this study showed that the implementation of cluster model during clinical practice, in the general nursing and midwives students and compared to the traditional model of training has increased the ability and the interest in students for the work during practice. This is noticed by some of the procedures performed independently by the students in different wards.

Keywords: Clinical Teaching; Supervising; Cluster Model

Introduction

Clinical practice is a very important element in the formation of a nursing student as a future nurse. Nursing knowledge has a close connection with clinical practice and achievements in this field are certainly coming through the application of clinical practice directly to healthcare institutions near the patient [1]. Nursing students should demonstrate their competences in the clinical environment [2-13].

One of the goals of the nursing student during his nursing is the relationship of the theory taken to school banks with clinical practice [2]. The internship provides students with the opportunity to link theory to practice, familiarize themselves with the practice environment, and enable them to develop their knowledge of clinical habits and skills, which are crucial elements in hiring employment [14]. What can be said is that a cornerstone for the formation of future nurses is the supervision and leadership of students in the place of practice [14]. This logic brings to mind a Florent Nightingale statement which states: "Nursing student should be taught by experienced

nurses who are trained to teach others".

Clinical supervision means "the process of professional support and learning in which the student is guided in the development of the practice through discussions with experienced nurses who are trained in the field of clinical teaching [15]. Models of clinical supervision. There are five models of clinical supervision activity of nursing students in clinical teaching Preceptor, Facilitator, Cluster, DEU - Dedicated education unit, Mentor.

Aim of the Study

To conform cluster model is the right one to be followed in realizing the teaching practices on the nursing students of the Public Health Faculty.

Materials and Methods

This is an experimental study, realized in the Faculty of Public For the realization Health during the time period of March-June 2013, lasting for 15 weeks during the spring semester of 2013 academic year of this study was up 3 groups of students:

- Experimental group: 30 students, 25 (83.3%) nursing students and 5 (16.7%) midwife students, 10 (33.3%) second year students and 20 (66.7%) in the third year.
- Control group: 30 students of general nurses 5 (16.7%) in the second year and 25 (88.3%) in the third year.
- Control group: 30 student midwives nurses year II. studente midwife in the second year.

Organization of work

- **Phase 1:** This phase was conducted during the fall 2012 semester. At this phase, discussions were conducted with students of II III, nurse professors who attend practices in Vlora Regional Hospital.
- Phase II: They were selected at randomly classmates applet in experimental and control groups Students were assessed in advance for the knowledge base 10 nursing procedures. Students of the experimental group were preceptor nurse leadership articles.
- **Phase III:** Implementation of cluster model Student groups were formed with 6 students It was clearly defined time of practice groups of students grouped by units. Phase IV: Evaluation of clinical teaching model of cluster.

The distribution of a questionnaire which evaluated the implementation of clinical practice for the 3 study groups. Evaluation of 3 groups of students in terms of 10 basic nursing procedures.

For the assessment of teaching practice students have applied clinical learning environment, supervision and nurse teacher (CLES+T) evaluation scale (Saarikoski and Leino-Kilpi 2008).

Questionnaire*

Personal data: Age, gender, branch of study, year of study.

Implementation of clinical practice: Ward of practice, duration of practice, frequency of performing nursing procedures, the most preferred department.

Evaluation of clinical skills:

- Using the evaluation file:
 - 0- He does not know and does not perform the procedure
 - 1- He knows the procedure but cannot perform it.
 - 2- Knows and performs the procedure but with help
 - 3- He knows and performs the procedure itself.

- Skills assessment is performed by calculating the difference between the post and pretest it grade realized in phase II study.
- Notes by the (-1 0) = Weak worsening.
- Notes by the (0 1) = No progress.
- Notes by the (1 2) = Little progress.
- Notes by the (2 3) = Evident progress.
- Notes by the (3 4) = Strong progress.

Result

The results are presented in two parts.


Results that provide information to students: the experimental group and the two control groups.

Outcomes that provide information to nursing staff and the way they have felt during the implementation of this new method of clinical teaching.

A total of 90 students participated in the study, which were divided into 3 study groups: 1 experimental group and 2 control groups each with 30 students.


In the experimental group 86.7% were female and 13.3 males, in the total nursing control group 90% were female and 10% males and in the third experimental group for the study branch all the participants were female.

In terms of residence: experimental group students 53.3% from the village and 46.7% from the city, in the control group with general nurses 43.3 from the village and 56.7% from the city and in the control group midwife 50% city and 50% village



Graph 1: Wards where have completed practice.

All three groups involved in the study have implemented teaching practices in different departments of Vlora Regional Hospital. The experimental group based on the prepared schedule has implemented practice in the 6 departments of this hospital. We see that the general nursing team has conducted the practice in these departments respectively: 76.7% in Pediatrics, 13.3% in Pathology, 10% in Emergency. The Mamma-Nursing II Group has implemented 63.3% practice in pediatrics, 20% in maternity and 6.7% in emergency.




Graph 2: Graphical presentation of the distribution of the three groups involved in the study according to the frequency of performing nursing techniques independently.

Regarding the frequency of performing nursing techniques, we find that the experimental group has reached a high frequency technique where 43.3% have referred to many nursing techniques compared to 0% of the first control group and 0% of the second control group.

43.3% of the students in the experimental cannabis have been referred to have performed nursing techniques several times versus 3.3% of the first control group and 13.3% of the second control group.

In the first control group it is noticed that 63.3% of students have referred to never having nursing techniques and 43.3% of the students refer to the second control group, and none of the students in the experimental group referred to non-technical nursing.

Realization of nursing techniques rarely refers to 13.3% of the experimental group, 33.3% of the first control group and 43.3% of the second control group.




Graph 3: Graphic presentation of the distribution of students of the three groups by department where they felt better during the realization of clinical practice.

In the question addressed to the students of the three groups to be deleted in the study on which department they felt better we see that for the experimental group the pathology is the preferred department with 30%, followed by pediatrics with 23.3%.

In the first control group the most preferred department is pediatrics with 36.7%, and maternity leave with 26.7%.

The second most preferred control unit is the 50% maternity ward, followed by Surgery with 23.3%.



Graph 4: Comparison of the three groups with each other based on the difference between the grades obtained in 10 tests developed valuation of nursing procedures differentiation.

According to the graph above showing the mark average for each test that each control group received, it is clear that in the last MDP column, which is also the mean of the general difference, dominates the experimental control group which also has a general average of the 1.22 and which is classified between Easy Advancement (1) and Strong Advancement (2). While the other two control groups, such as the midwife and the general nurse, result in a mean overall score difference of 0.34 and 0.43 respectively. It is understood that the general nursing team has a higher overall average of the grade difference compared to that midwife but that both control groups are classified between non-advancement (0) and easy advancement (1). It is worth noting that the experimental control group in the transfusion and IV administration test had the highest marking grade average of 1.53. Also, the lowest score difference score in the table is -0.033 realized by the control group of the Infirmary in the I/M Administration Test.

Discussion

Three main issues emerged regarding student assessment, which makes practice with the cluster model in the clinical learning environment.

First, this model focuses on the student, the relationship with facilitators, and the supervision they receive from them. This conclusion is also based on the literature that emphasizes that the clinical supervision provided by the facilitators is more appreciated than the preceptors [15]. This is because the facilitator is a good nurse in the nursing education program according to years of study and student objectives [15].

Second, positive and supportive relationships between students and nursing staff are key points for a qualitative clinical practice. It is apparent in the literature that when discussing this model, you would appreciate that the great support given to the student is very important for clinical supervision. Third, in this model, students feel themselves appreciated as part of a team and being part of a team to increase self-confidence [16-35].

Ensuring clinical quality supervision is at the heart of the attention of nursing program makers and health care providers in the whole world. These two drafters and providers should focus on these two above-mentioned issues, remain engaged in the problems of clinical education and training while looking for new models of clinical surveillance. Since the preceptors are not sufficiently trained in teaching and assessing students as they are overworked due to increased demands for quality nursing care for patients. Therefore, to facilitate the work of the preceptor, besides him, facilitator.

Providing clinical quality supervision is at the heart of the attention of nursing program makers and health care providers in the whole world. These two drafters and providers should focus on these two issues above, remain engaged in the problems of clinical education and training while looking for new models of clinical surveillance. Since the preceptors are not sufficiently trained in teaching and assessing

students as they are overworked due to increased demands for quality nursing care for patients. Therefore, to facilitate the work of the preceptor, besides him, facilitator.

This two-component supervisory model creates a warm and supportive environment for future nurses.

The focus of attention on nursing education in the future will be to determine which model of supervision will be the best. Training and support of the preceptor nurse [36].

Specifically, learning environments should be periodically assessed for their ability to offer to students the opportunity to develop collaborative skills. Moreover, benchmarking policies at the regional level, aimed at promoting a higher sensitivity regarding the link between interprofessional teamwork and patient safety are recommended [34].

Realization of teaching practices in small groups following the nurses tournaments poizitive resulting in the improvement of student nurses knowledge [37,38].

Conclusions and Recommendations

It is worth mentioning that the test of the experimental group and the management transfusion IV also had the highest average difference with the grade of 1:53. As well as the lowest average difference of note under the table is carried out by the group -0,033 control Nursing Administration test I/M.

Enhance nursing education and improves the quality of nursing cares to patients. Practice the new model has increased training of nursing students in most procedurave a higher degree. It is important that the students have positively assessed the new model. In conclusion we can say that the model of nursing education Cluster improves and enhances the quality of nursing cares to patients. Preceptor-student cooperation is mutual benefit

Re-envision nursing student-staff nurse relationships. Re-conceptualize the clinical faculty role Enhance development for school based faculty and staff nurses working with students Strengthen the evidence for best practices in clinical nursing education. Including of nurse preceptor as an important element in the professional training of students. Forming small groups of students in the implementation of clinical practice. The extent of clinical practice with shifts.

Study Limits

One limit of this study is that the opinions of the pedagogues who followed the practice in the hospital were not taken.

Bibliography

- 1. Kang YS., *et al*. "The effects of cooperative clinical nursing education program on the competency and satisfaction of nursing students in clinical practice". *Journal of Korean Academy Society of Nursing Education* 12.1 (2006): 13-20.
- Allen J and Aldebron J. "A systematic assessment of strategies to address the nursing faculty shortage, U.S". Nursing Outlook 56.6
 (2008): 286-297.
- 3. Baxter P. "The CCARE model of clinical supervision: Bridging the theory-practice gap". *Nurse Education in Practice* 7.2 (2007):103-111.
- 4. Nash R. "Collaboration in clinical education: development, implementation and evaluation of an innovative model of clinical education for undergraduate nursing students". Queensland University of Technology: School of Nursing, Faculty Health, Australia (2007).
- 5. Health Work force Australia. "Clinical supervision support program directions paper" (2011a).
- 6. Brunero S and Stein-Parbury J. "The effectiveness of clinical supervision in nursing: An evidenced based literature review". *Australian Journal of Advanced Nursing* 25.2 (2011) 86-94.

- 7. Papastavrou E., et al "Student nurses experience of learning in the clinical environment" Nurse Education in Practice 10.3 (2010) 176–182.
- 8. Hanifi Nasrin., *et al.* "Nursing Challenges in Motivating Nursing Students through Clinical Education: A Grounded Theory Study,". *Nursing Research and Practice* (2012): Article ID 161359.
- 9. Aled J. "Putting practice into teaching: an exploratory study of nursing undergraduates' interpersonal skills and the effects of using empirical data as a teaching and learning resource". *Journal of Clinical Nursing* 16.12 (2007): 2297-307.
- 10. www.urdhriinfermierit.org
- 11. Hughes RG. editor. "Patient Safety and Quality: An Evidence-Based Handbook for Nurses". Rockville (MD): Agency for Healthcare Research and Quality (US) (2008).
- 12. Mary E McDonald. "The Nurse Educator's Guide to assessing". Learning Outcomes (2007).
- 13. Axley L. "The Integration of Technology into Nursing Curricula: Supporting Faculty via the Technology Fellowship Program". *OJIN: The Online Journal of Issues in Nursing* 13.3 (2008).
- 14. M. Addressing healthcare workforce issues for the future; Statement for the record to the Senate Committee on Health, Education, Labor, and Pensions (2008).
- 15. Tsai H.-M., *et al.* "Preparing the future nurses for nursing research: A creative teaching strategy for RN-to-BSN students". *International Journal of Nursing Practice* 20.1 (2014): 25-31.
- 16. Lambert V and Glacken M. "Clinical education facilitators: a literature review". Journal of Clinical Nursing 14.6 (2005): 664-673.
- 17. Allin L and Turnock C. "Reflection on and in the workplace for work based supervisors" (2007).
- 18. Dominic Chan., *et al.* "Development of the Clinical Learning Environment Inventory: Using the Theoretical Framework of Learning Environment Studies to Assess Nursing Students' Perceptions of the Hospital as a Learning Environment". *Journal of Nursing Education* 41.2 (2002): 69-75.
- 19. Promoting quality in clinical placements: literature review and national stakeholder consultation.
- 20. Natasha Frances Franklin., et al. "Clinical supervision at a magnet hospital: A review of the preceptor-facilitator model". *Journal of Nursing Education and Practice* 4.1 (2013).
- 21. Natasha Franklin. "Clinical supervision in undergraduate nursing students: A review of the literature". *e-Journal of Business Education and Scholarship of Teaching* 7.1 (2013): 3442.
- 22. Altmann TK. "Preceptor selection, orientation, and evaluation in baccalaureate nursing education". *International Journal of Nursing Education Scholarship* 3 (2006): 1-16.
- 23. Udlis KA. "Preceptorship in undergraduate nursing education: An integrative review". *Journal of Nursing Education* 47.1 (2008): 20-29.
- 24. Lillibridge J. "Using clinical nurses as preceptors to teach leadership and management to senior nursing students: A qualitative descriptive study". *Nurse Education in Practice* 7.1 (2007): 44-52.
- 25. Holmlund K., *et al.* "Group supervision for nursing students during their clinical placements: its content and meaning". *Journal of Nursing Management* 18.6 (2010): 678-688.
- 26. Lindgren B and Athlin E. "Nurse lecturers' perceptions of what baccalaureate nursing students gain from clinical group supervision". *Nurse Education Today* 30.4 (2010): 360-364.
- 27. O'Brien L., et al. "Improving the undergraduate clinical placement experience in mental health nursing". Issues in Mental Health Nursing 29.5 (2008): 505-522.

- 28. Mannix J., *et al.* "Towards suitable models for clinical education in nursing: An ongoing conversation". *Nurse Education in Practice* 6.1 (2006): 3-11.
- 29. Health Workforce Australia. National Clinical Supervision Support Framework Consultation (2011).
- 30. Kristofferzon ML., et al. "Nursing students' perceptions of clinical supervision: The contributions of preceptors, head preceptors and clinical lecturers". Nurse Education Today 33.10 (2013): 1252-1257.
- 31. Walker S., et al. "Facilitator versus preceptor: which offers the best support to undergraduate nursing students?" *Nurse Education Today* 33.5 (2013): 530-535.
- 32. Löfmark A., et al "Nursing students' satisfaction with supervision from preceptors and teachers during clinical practice". Nurse Education in Practice 12.3 (2012): 164-169.
- 33. Croxon L and Maginnis C. "Evaluation of clinical teaching models for nursing practice". *Nurse Education in Practice* 9.4 (2009): 236-243.
- 34. Sharon Bourgeoisa., et al. "An innovative model of supportive clinical teaching and learning for undergraduate nursing students: The cluster model". Nurse Education in Practice 11.2 (2011):114-118.
- 35. Tony Warne., at al "An exploration of the clinical learning experience of nursing students in nine European countries". *Nurse Education Today* 30.8 (2010): 809-815.
- 36. Andrews GJ., et al. "Professional roles and communications in clinical placements: A qualitative study of nursing students' perceptions and some models for practice". International Journal of Nursing Studies 43.7 (2006): 861-874.
- 37. Saarikoski M., *et al.* "The Nurse Teacher in Clinical Practice: Developing the New Sub-Dimension to the Clinical Learning Environment and Supervision (CLES) Scale". *International Journal of Nursing Studies* 45.8 (2008): 1233-1237.
- 38. Alvisa Palese., *et al.* "Nursing students' interprofessional educational experiences in the clinical context: findings from an Italian cross-sectional study". *BMJ Open* 9 (2019): e025575.

Volume 2 Issue 5 July 2019 ©All rights reserved by Rudina Çerçizaj., et al.