

The Useful Fruits and Vegetables for Children's Oral Health

Karimi M*

Department of Pediatrics Dentistry, Sepideh Dental Clinic, Iran

*Corresponding Author: Karimi M, Department of Pediatrics Dentistry, Sepideh Dental Clinic, Iran.

Received: August 18, 2021; Published: August 30, 2021

Introduction

Fruits and vegetables are beneficial for dental health, so parents should keep in mind that they have to put these nutrients in children's daily diet. The vitamins, minerals and antioxidants in these foods protect the gums and teeth. The time and how to consume food and beverages affect children's health and general conditions. Bacteria in the mouth can damage the health of the teeth, especially if children do not brush or floss their teeth after eating. It is emphasized that kids eat fruits and vegetables at the end of each meal for having healthy teeth, as these foods are high in water and help keep teeth and gums clean.

There is a belief from the past that ending a meal with hard food or fruit may decrease oral diseases such as dental caries and gum diseases [1,2].

In this short article, we tried to gather information about some useful fruits and vegetables to help the parents.

Apple

It is also called natural toothbrushes, which are a good choice for a snack or lunch because of their fibrous texture. Although apples cannot be a substitute for toothbrushes or floss, consuming this food can help keep teeth clean till the kid's brushing time. Apple juice may be associated with tooth decay, cervical sensitivity of teeth, decalcifications; erosion, attrition, and abrasion of the teeth due to additive sugars and ascorbic acid [3-5], but with consumption of fresh apples are less likely to cause such problems. Chewing this fruit stimulates the gums and reduces caries-causing bacteria, and increases saliva flow [1]. Saliva reduces the acidity of the mouth, removes food particles from the teeth, and could prevent caries caused by dry mouth.

Some studies performed in humans have indicated that the polyphenols present in apples have inhibited plaque formation [6]; it may have significant anti-cariogenic properties to inhibit glucosyltransferase activity and bacterial adherence [7,8].

Citrus fruits

These kinds of fruits including Oranges, Lemons, Grapefruits, Pomelos, and Limes are good for the body's general health because they provide plenty of vitamin C for the body. Vitamin C deficiency in people may be accompanied by bleeding gums that have been observed in scurvy patients, which can lead to gingival tissue damage. Further, bone formation in children is also altered and becomes brittle. A lack of vitamin C means that new collagen cannot be formed.

Vitamin C deficiency causes a weakening of collagenous structures, causing tooth loss, joint pain, inflamed peri-follicular hemorrhages, bleeding gums, bone, and connective tissue disorders, and poor wound healing [9-12].

Hence, parents should put fresh citrus fruits in children's diet. Chewing fresh fiber-rich fruits massages the gums, cleans teeth, and stimulates saliva secretion, which can neutralize Citric and Malic acids in the mouth caused by citrus consumption.

Carrots, celery, and root vegetables

Chewing carrots, Celery, and other hard, fibrous vegetables can increase the saliva. Salivary secretion can be stimulated by the hardness and the size of the object being chewed, and also the chewing force [13-16]. Healthy and strong gums are important for maintaining healthy teeth. Carrots and celery are good a source of Beta-Carotene, which is needed to make vitamin A in the body and is essential for the structural development of strong teeth [17]. Some hypoplasia and pits on the surface of the enamel correlate to a lack of vitamin A [17]. One way to protect children's teeth is to eat fresh and raw vegetables at the end of each meal such as carrots, radishes, and beets.

Green leafy vegetables and cabbages

Green leafy vegetables such as Cabbage, Beet leaves, Collard (cabbage and broccoli), Endive, Lettuce, Kale, Mustard, Asparagus, Spinach, and Watercress contain vitamins and minerals essential for general health [18]. The nutrients in dark green foods include vitamin A, vitamin C, beta-carotene, phosphorus, calcium, and magnesium [18]. Spinach and other green leafy vegetables are also high in magnesium. Broccoli, Cauliflower, Brussels sprouts, and kale are rich in vitamin C and also contain phosphorus [18]. Phosphorus is stored in bones and teeth, and also helps maintain the body's balance and absorption of calcium and magnesium.

Calcium plays an important role in making the jawbones healthy so that teeth keep in place. However, calcium needs phosphorus to maximize its bone-strengthening benefits. Children's teeth should be nourished with adequate calcium and phosphorus to develop a hard structure during growth [19].

Vitamin D regulates the body's balance of calcium and phosphorus and can promote absorption. Vitamin D can also help to decrease inflammation of gums which is associated with periodontal disease [19].

Other useful fruits

Watermelon eliminates inflammation and acts as an antioxidant. It quenches thirst in hot weather so which provides the lost water of the body. It is also a rich source of vitamin A in the form of beta-carotene and vitamin C, a good source of vitamins B1, B6, B5, pantothenic acid, biotin, magnesium, potassium, and Lycopene [20]. Furthermore, watermelon has dietary fiber with a high nutritional value which strengthens the teeth and cleans both teeth and gums. It also improves oral health and reduces gum disease.

Vitamin B deficiencies affect oral structures. A common oral effect of vitamin B (complex) deficiency is a burning mouth sensation, especially on the tongue. The other oral symptoms include cracked and red lips, inflammation of the oral cavity and the tongue, oral ulcers, angular Cheilitis, and a sore throat. The body requires iron, vitamin B-12, and folic acid to produce healthy red blood cells within the bone marrow. A deficiency of vitamin B-12 or folic acid results in immature red blood cells which leads to pernicious anemia. Riboflavin deficiency causes Ariboflavinosis, which manifests as cracked lips, inflammation of the tongue, and dryness or burning of the oral cavity [21-25].

Lycopene is a red pigment present in vegetables such as tomatoes, carrots, and watermelons. A study by Chandra., *et al.* suggested that Lycopene supplementation may increase the improvement of periodontal health [26]. Other studies indicated a possible therapeutic role of Lycopene in the management of periodontitis [27,28].

Strawberries are a powerful teeth whitener that contains vitamin C. Strawberries effectively help to remove stains on the tooth surface while vitamin C cleans teeth by removing plaque. This fresh fruit contains Malic acid and Ellagic acid, which eliminates the discoloration of the tooth surface [29-31].

108

This fruit, if combined with baking soda, becomes a natural cleanser for teeth. To do this, mash a strawberry and mix it with baking soda. Using a soft toothbrush, apply the mixture to the teeth. Wait 5 minutes, then brush with a regular toothbrush and rinse your mouth. This can be repeated weekly [32].

Fruits such as oranges, pears, watermelons, and other saliva-producing foods can also help keep the mouth clean. Fruits rich in vitamin C, including Pineapple, Tomatoes, and Cucumbers should be considered in children's daily regimen.

Conclusion

Fruits and vegetables are an important part of a balanced diet and are also useful for the development of tooth structure. Because fruits and vegetables are high in water and fiber, their sugar content is adjusted and consumption of them helps to have healthy teeth.

Chewing vegetables stimulates saliva secretion. Saliva removes harmful and cariogenic acids and food particles from the surface of the teeth.

Bibliography

- 1. Pickerill HP. "The Prevention of Dental Caries and Oral Sepsis". London (UK): Bailliere, Tyndall, and Cox (1912).
- 2. Jenkins GN. "Enamel Protective Factors in Food". Journal of Dental Research 49 (1970): 1318.
- 3. Touyz LZ. "Erosive action of vitamin C on rat molars in vivo". Diastema 12 (1984): 11-14.
- 4. Touyz LZ. "Fruit-induced sensitivity at cervical margins". South African Dental Journal 38 (1983): 199-200.
- 5. Touyz LZ and Hille JJ. "A fruit-mouthwash chemical burn, Report of a case". Oral Surgery, Oral Medicine, Oral Pathology, and Oral Radiology 58 (1984): 290-292.
- 6. Matsudaira F., *et al.* "Inhibitory effects of polyphenol extracted from immature apples on dental plaque formation". *Journal of Dental Health* 48 (1998): 230-235.
- 7. Yanagida A., *et al.* "Inhibitory effects of apple polyphenols and related compounds on cariogenic factors on mutant streptococci". *Journal of Agricultural and Food Chemistry* 48 (2000): 5666-5671.
- 8. Daglia M. "Polyphenols as antimicrobial agents". Current Opinion in Biotechnology 23 (2012): 174-1181.
- 9. Carr AC and Frei B. "Toward a new recommended dietary allowance for vitamin C based on antioxidant and health effects in humans". *The American Journal of Clinical Nutrition* 69 (1999): 1086-11070.
- 10. Levine M., et al. "Vitamin C pharmacokinetics in healthy volunteers: evidence for a recommended dietary allowance". Proceedings of the National Academy of Sciences of the United States of America 93 (1996): 3704-3709.
- 11. Baker EM., et al. "Metabolism of 14C- and 3 H-labeled L-ascorbic acids in human scurvy". The American Journal of Clinical Nutrition 24 (1971): 444-454.
- 12. Levine M., et al. "Vitamin C". In: Modern Nutrition in Health and Disease,10thedition (Shils ME, Shike M, Ross AC, et al, editions).Baltimore: Lippincott Williams and Wilkins (2006): 507-524.
- 13. Anderson DJ., et al. "The effects of unilateral and bilateral chewing, empty clenching, and stimulated bruxism, on the masticatoryparotid salivary reflex in man". Experimental Physiology 81 (1996): 305-312.

109

- 14. Hector MP and Linden RWA. "The possible role of periodontal mechanoreceptors in the control of parotid secretion in man". *Quarterly Journal of Experimental Physiology* 72 (1987): 285-230.
- 15. Kerr AC. "The physiological regulation of salivary secretions in man, International Series of Monographs in Oral Biology. No. 12, Pergamon Press: Oxford (1961).
- 16. Rosenhek M., *et al.* "The effects of chewing-gum stick size and duration of chewing on salivary flow rate and sucrose and bicarbonate concentrations". *Archives of Oral Biology* 38 (1993): 885-891.
- 17. Sheetal Aparna., *et al.* "Malnutrition and its oral outcome a review". *Journal of Clinical and Diagnostic Research: JCDR* 7.1 (2013): 178-180.
- 18. Taha Gökmen Ülger., *et al.* "Role of Vegetables in Human Nutrition and Disease Prevention, Vegetables Importance of Quality Vegetables to Human Health, Md. Asaduzzaman and Toshiki Asao, Intech Open (2018).
- 19. American Academy of Periodontology, 2008, 'Nutrition and Your Oral Health' in Australian Dental Association (ADA) (2010).
- 20. Naz Ambreen., et al. "Watermelon lycopene and allied health claims". EXCLI Journal 13 (2014): 650-660.
- 21. Ehizele AO., et al. "Nutrition, and Oral health". Journal of Postgraduate Medicine 11.1 (2009): 76-82.
- 22. Field EA., et al. "Oral signs and symptoms in patients with undiagnosed vitamin B12 deficiency". Journal of Oral Pathology and Medicine 24.10 (1995): 468-470.
- Pontes HAR., et al. "Oral Manifestations of Vitamin B12 Deficiency: A Case Report". Journal of the Canadian Dental Association 75.7 (2009): 533-537.
- 24. Kozlak ST., et al. "Reduced dietary intake of vitamin B12 and Folate in patients with recurrent Aphthous Stomatitis". Journal of Oral Pathology and Medicine 39.5 (2010): 420-423.
- 25. Nutrition Diet., et al. "Oxford Medical Publications;
- 26. Chandra RV., et al. "Efficacy of lycopene in the treatment of gingivitis: A randomized, placebo-controlled clinical trial". Oral Health and Preventive Dentistry 5 (2007): 327.
- 27. Arora N., *et al.* "The adjunctive use of systemic antioxidant therapy (lycopene) in nonsurgical treatment of chronic periodontitis: A short-term evaluation". *Journals: QI. Quintessence International* 44 (2013): 395-405.
- 28. Belludi SA., *et al.* "Effect of lycopene in the treatment of periodontal disease: A clinical study". *The Journal of Contemporary Dental Practice* 14 (2013): 1054.
- 29. Margaretha J., *et al.* "Effect of Strawberry Paste and Carbamide Peroxide Gel 10% Towards the Brightness Enamel Tooth". *Material Dental Journal* 1.1 (2009): 16-20.
- 30. Larasati DM., et al. "Effectiveness of Ellagic Acid that Contains in Strawberry for Acrylic Discoloration". Asia Pacific Dental Students Journal 3.2 (2012): 1-9.
- 31. ItaYulita., et al. "Strawberry Extract as a Tooth Stain Remover". Health Notions 3.1(2019).
- 32. Grandma home remedies, Golden notebook, (article in Persian) (1960).

Volume 20 Issue 9 September 2021 ©All rights reserved by Karimi M.