

## Treatment of Stroke Victims Using Vibrational Herbal Medicine

Almoez LeDin Ellah MS Eltouny\*

*The National Center for Research, Egypt*

**\*Corresponding Author:** Almoez LeDin Ellah MS Eltouny, The National Center for Research, Egypt.

**Received:** April 01, 2024; **Published:** April 16, 2024

### Abstract

The effects of brain clots and strokes on patients are traumatic. Relief has been obtained to those stricken within around three hours, for ischemic attacks and other measures for those with hemorrhagic strokes. For those with ischemic strokes that were not treated within three and a half and seven hours, life would be an uphill battle. We have endeavored to bring some relief to those patients using vibrational herbal medicine (VHM), to improve the quality of life of those patients that were not treated within the safe time period. We find some lack of improvements using prescription drugs, they do not seem to be able to return the patients to some sort of normalcy.

Several mixtures have been designed and tested safely and with reasonably good results and improvements in the physical and mental condition of patients. These mixtures are used when needed, as they may be repeated to continue with the improved quality of life. The main objective of these mixtures is to enhance the ability of the capillaries to withstand the flow of blood as previously maintained. Another objective is to dissolve some parts of these clots to maintain some reasonable blood flow.

**Keywords:** *Vibrational Herbal Medicine (VHM); Stroke Victims; Flow of Blood; Clots; Shadow Energies*

### Introduction

The Mayo clinic describes the causes and treatment of strokes according to their protocol.

The following is adapted from their brochures.

### Treatment

Emergency treatment for stroke depends on whether you're having an ischemic stroke or a stroke that involves bleeding into the brain (hemorrhagic).

**Ischemic stroke:** To treat an ischemic stroke, doctors must quickly restore blood flow to the brain. This may be done with:

- **Emergency IV medication:** Therapy with drugs that can break up a clot has to be given within 4.5 hours from when symptoms first started, if given intravenously. The sooner these drugs are given, the better. Quick treatment not only improves your chances of survival but also may reduce complications. An IV injection of recombinant tissue plasminogen activator (TPA) - also called alteplase (Activase) or tenecteplase (TNKase) - is the gold standard treatment for ischemic stroke. An injection of TPA is usually given through a vein in the arm within the first three hours. Sometimes, TPA can be given up to 4.5 hours after stroke symptoms started.

- **Hemorrhagic stroke:** Emergency treatment of hemorrhagic stroke focuses on controlling the bleeding and reducing pressure in the brain caused by the excess fluid.

### Review

The plight of stroke victims that had not been timely treated is usually evident in some care-homes and private patients. Their inability to take care of themselves is distressing, to say the least. We decided to investigate the condition of four stroke patients, that had been stricken for various time periods. Our objective is to try to alleviate some of the inconveniences that face some of these patients. Another objective is to identify the shadow energy changes that occur to the brain and whether or not we may be able, by eliminating the shadow energies or changing their values, to improve the condition of the patients. A third objective is to try to dissolve parts or all of the clot to re-engage the blood flow, if possible.

### Procedure

Characteristics of the stroke conditions in each one of the patients and whether or not the length of time since the stroke affects the level of energies present. It also made sense to have the first question to ask in vibrational herbal analysis, is to find the shadow energy that determines the actual physical condition of each patient to aid in our analysis of the treatment. A primary question, is the type of stroke the patient suffered and how long ago was it from the date we started the investigation, and what are the consequences of that stroke on the condition of the patient?

- a. We wanted to determine whether victims of strokes that had not been treated during the first 3.5 to 6 hours of being stricken, have a chance to regain some of their physical and mental functions or not, even several months or years after their affliction?
- b. Our decision was to choose several brain-clot stricken patients who are willing and able, to try our new vibrational medicine, on that it causes no adverse side effects, nor hamper in any way the normal process of their healing process. We tried several patients, but several of them were reluctant to try the new treatment, even with our assurances that it would not have any negative impact on their treatment process, and that the herbs used are very common herbs that usually do not illicit and adverse side effects in any one taking such doses. Only three patients out of six that were approached agreed to participate.

### Candidates

1. The first candidate, patient (a), is a 74 years old male, who was stricken eight years previous to that, and who was not administered proper anti-stroke medication immediately, for one reason or another. This left its mark on his speech, mannerisms and gait. It also affected his attitude towards life as a whole. In addition to that he was also diagnosed with Parkinson's disease, a couple of years after the stroke. His occupation was as a business man. Our connection to him, came as he became a patient for the treatment of Parkinson's, as we have a vibrational herbal medicine that eliminates the effects of Parkinson's, improving the condition of the patient, considerably. This eliminates the complex virus system causing Parkinson's. This improved the mannerisms of the patient, his gait and mainly his balance. He no longer needed a walker to aid in his walking tours. He was always having physiotherapy treatments.
2. The second patient (b), is a seventy-seven years old male, who has been suffering from diabetes for 30 years prior, and also has a high blood pressure problem. He is an MD. An internist, but, when he suffered the stroke, he did not proceed with the stroke treatment protocol and delayed his medication for more than 12 hours. His speech was not affected but his right arm and left leg were affected. He was hospitalized for a week until his condition stabilized, then was discharged. The main therapy was to do physiotherapy daily and take the medication regularly. He continued on that regimen for about six months, feeling much better, he cut down on the physiotherapy. The results are not noticeable, at first, but he started losing power in his body. Began to have fits of falling down, and unable to move or get up. Regular medicines were not aiding nor returning the loss of stamina and power. For one reason or another, he did not want to resume his physio-therapy sessions.

3. The third patient, (c), is a man of 55 years of age, who was stricken when he was 45 by a hemorrhagic stroke that left him in a wheel chair, not able to move or speak. He acquiesced to our proposal, as it held the promise of any kind of improvement and may help him gain some form of mobility.
4. The fourth patient (d), is 72 years old woman, who was stricken about five years earlier and has been on regular chemical stroke medication ever since. There have not been any major changes in her condition prompting her to accept our proposal to try the vibrational herbal treatment.

### The process

Our initial studies indicated that a shadow energy focus point appears somewhere in the brain, whenever a brain clot forms in the brain of a patient. The first part of the process, is to assess the value of this shadow energy in each patient, whether it is the same for each, does it change in value overtime; does this change affect the condition, for better or for worse, of the patient? We will try to measure all the shadow energies associated with the brain clot and its changes over time, if any, and how that affects the patient, again, over time. Another consideration will be, what are the effects of all the medicine being taken, on the patient and on the shadow energy observed?

A different study may be initiated, but would require immediate action as soon as a patient is admitted with a brain clot. There are considerable considerations in this particular study and may be quite difficult to undertake. Our basic objective is to eliminate the shadow energies formed and assess the changes in the condition of patients.

### Collection of data

The first process of data collection was to measure the appearance of the focal shadow energy point in each patient. The following are the shadow energy values discovered.

Patient (a): the 74 years old male

- $Q = -36$
- $Y_n = -36$
- $Y_g = -36$
- $\Omega = -20$ .

Patient (b): The 77 years old male

- $Q = -36$
- $Y_n = -36$
- $Y_g = -36$
- $\Omega = -20$ .

Patient (c): The 55 years old male

- $Q = -36$
- $Y_n = -36$
- $Y_g = -36$
- $\Omega = -20$ .

Patient(d): The 72 years old female. (6/2/23)

- $Q = -29$
- $Y_n = -28$
- $Y_g = -30$
- $\Omega = -20$ .

### Trials

The above values are those of the shadow energies of the effects of the brain clot on the patient. These values appear only after a stroke, and when a clot has obstructed the flow of blood in the capillaries of the brain. The obvious treatment is to allow the flow in these capillaries before any permanent damage happens to the brain. However, for those unfortunate individuals, who, for one reason or another, are not treated within the permitted time and given treatment to alleviate the condition, life will definitely suffer. This method that we propose to try, gives those patients a chance to improve their condition by vibrational herbal medicine.

Our theory is that the reduction of these shadow energies, will increase the shadow energies of the affected capillaries and thus make them more able to allow an increase in the flow of blood in the obstructed capillaries, as our main objective is to open the obstructed flow of blood once again, if possible. This is based on the theory that the reduction of shadow energies may dissolve parts of the old clot and rejuvenate capillaries not used for a long time. Thus, a required objective is to improve the flow and improve the condition of the patient, by eliminating the shadow energies that appeared due to the stroke. We tried one mixture first, mixture No. 1, to enhance the shadow energies of the capillaries, in an effort to improve their performance. The main objective in designing the first dissolution mixture is also to dissolve part of the clot, if it is still there, and at the same time, rejuvenate the capillaries to withstand a new influx of blood again. Having measured the shadow energies due to the brain clot, we tried to design a mixture to slowly dissolve the clot, not separate it into small pieces, and at the same time acclimatize the capillaries to the new flow that may occur. The first mixture designed, it was important to slow the healing process; i.e. dissolution of the clot slowly, by taking the dosage sparingly. Every other day, and study the effects as they occur. The first mixture (Mix 1) designed:

1.  $-Q$
2.  $Q-Y_n Y_g$
3.  $Q Y_n Y_g$
4.  $Q-Y_n Y_g$
5.  $-Q$
6.  $Q-Y_n Y_g$
7.  $Q Y_n-Y_g$ .

Each one of the herbs is designated by its shadow energy designation. The dosage agreed upon was 1800 mg of the mixture every other day, and to daily check the change in the shadow energy values, and whether there are any changes in the condition of the patient. The treatment continued for 15 doses, after which the shadow energy levels became as follows, for patient (a):

1.  $Q = -20$
2.  $Y_n = -18$
3.  $Y_g = -18$
4.  $\Omega = -8$ .

The patient improved slightly, had more stamina, could walk easily unattended, swooning decreased considerably, he started to feel an improvement in his general attitude. However, the shadow energies were still present, even though they improved somewhat, the change was not what had been hoping for. A new mixture had to be designed to reduce the shadow energies further, and hopefully show some visible improvement in the condition and in the well-being of the patient.

Taking into account the condition of the patient, the changes occurring due to the first treatment mixture, and that it did not accomplish what we had desired, a dissolution of the shadow energies due to the brain clot, a new design was made to improve the performance of the treatment by changing some components of the mixtures to increase the power of the new mixture. It indicated an improvement and it was made, to be tried. The new mixture, after testing on the patient, indicated that it will reduce the shadow energies and change them into positive values. This is an interesting result to discover what that change into positive values will mean in the condition of the patients.

The second dissolution mixture (Mix 2)

1. Q-Yn Yg
2. -Q
3. Q Yn-Yg
4. Q-Yn Yg
5. Q Yn-Yg
6. -Q
7. Q Yn-Yg.

As the patient reacted well to the first mixture, he appeared to be able to handle a daily dosage, instead of every other day, we started an 18-day treatment of the second mixture and to record the changes happening.

**Patient (a) mix (2) 18 days treatment**

Day:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Q =	-20	-16	-14	-12	-10	-8	-7	-2	3	9	14	19	25	29	40	54	65	76
Ω =	-8	-7	-6	-6	-5	-4	-4	-2	-1	4	6	10	17	19	24	28	30	31

**Table 1**

The inflection of the shadow energies to the positive side, merely indicates that the capillaries have gained strength, and will be able to contain any moderate increase in the blood flow. This was indicated in the patient as he became steady on his feet, swooning stopped and sudden movements would not throw him of balance. This was a great positive development for him, as it made him more whole as before. We monitored the patient for the next few weeks, to determine how permanent these changes will be before we may have to administer anew dosage, or even a new treatment.

**Patient (b) mix (1), for ten days treatment**

Several weeks later, the shadow energy values changed, and we needed the second mixture to improve his condition.

Days:	1	3	5	7	9	11
Q =	--36	-33	-25	-16	-12	-10
Ω =	-20	-16	-11	-9	-6	-5

Table 2

The results of treatment with mix (2) are much better than mix (1), but they appear to complement each other, the longer the period of stroke, the slower the change in the condition of the patient. It also shows that the first mix reduces the shadow energies to a certain level, different in each patient, depending on their original condition and length since being stricken.

The second mix improves the condition more, and that reflects on the patients with positive results and feeling of improvement. The results of the two treatment mixtures tended to indicate that there is room for improvement, and that another one or two other treatments may improve the condition of patients more. It is our objective to reach a point, if possible, to dissolve the brain clot in its entirety, as this is the objective of the treatments. To gradually build on the ability to dissolve more and more of the clot, as it may be that it may not be all prudent to dissolve the clot quickly, without assessing the result of such a treatment. The initial findings on several patients, having been stricken over different lengths of time, did not produce any negative results, but overall is well tolerated by the patients with major improvement in some and minor improvements in others. This prompted us to design additional treatments to pick up where the other left.

The third treatment mix (3)

1. Q-Yn Yg
2. Q Yn-Yg
3. Q-Yn Yg
4. -Q
5. Q Yn-Yg
6. Q-Yn Yg
7. Q Yn-Yg.

Three of the five patients reacted favorably to the presentation of treatment (3), as a follow up to either treatments (1) or (2). The results proved that the shadow energies of the brain clot turned to positive and there was an indication, not totally confirmed, that parts of the clot disappeared, about 60% of the clot disappeared. We were not able to do a Cat scan on the patients, but it was clear that they improved slightly more than before. One patient exclaimed that now when he swoons, he can hold himself up straight and not collapse. That, to him, was a great improvement to his condition.

The results of the third treatment encouraged us to work on a fourth treatment to be able to dissolve the brain clot close to 100% and improve the condition of the patient. Our main concern is that the brain capillaries would be able to handle the increase of flow in the stricken area. It appears that the reduction of shadow energies, improved the reaction of the flow of blood in the brain. There were no complaints of any adverse side effects to any of the three medications given out so far. The slightest improvement in the condition of long stricken patients meant a great deal to the patient and to physicians.

A fourth treatment was being designed to continue on track, and to improve the shadow energies of the patients, and to check if reaching a large positive result of shadow energy may indicate a reduction of parts of the old clot in the patient’s brain, or not, and what

level of improvement would actually occur. It was found that an improvement in the level of shadow energies shows an improvement in the condition of the patient. This improvement appears to depend on the physical condition of the patient at the time of taking the mixtures.

The fourth treatment mixture (4)

1. -Q
2. Q-Yn Yg
3. Q Yn-Yg
4. Q-Yn Yg
5. -Q
6. Q Yn-Yg
7. Q-Yn Yg

The following are the actual results of the shadow energies of patient (a), after taking treatment 1, 2, 3 and 4. The first reading is that after treatment (2) and the rest, after treatment “(4)”

Q =	-20	-16	-14	-12	-10	-8	-7	-2	3	9	14	19	25	29	40	54	65	76
Ω =	-8	-7	-6	-6	-5	-4	-4	-2	-1	4	6	10	17	19	24	28	30	31

Table 3

The following are readings of patient (b), after several weeks of finishing treatment (1), and feeling a great deal of improvement. A second check revealed that he needs treatment (2) for 15 days. This patient was stricken more than 10 years ago, he was also suffering from PD. PD was treated by chemical medicines, but was eliminated using vibrational herbal medicine. The patient (b) improved tremendously, felt psychologically better, physically he started walking regularly, and appeared to be able to handle his condition quite well.

Q =	-27	-17	-10	-7	-1	0	44	55	60
Ω =	-14	-10	-9	-7	-7	-2	14	20	24

Table 4

One patient (c), who was stricken several years previously, and suffered a hemorrhagic stroke, took treatment (1) for 15 days as directed after the examination, his shadow energies improved and turned positive, but his physical condition did not seem to express the changes into some meaningful physical improvement. We did not deem it necessary to continue with any of the other treatments.

The fourth treatment mix (4)

1. -Q
2. Q-Yn Yg
3. Q Yn-Yg
4. Q-Yn Yg
5. -Q

- 6. Q Yn-Yg
- 7. Q Yn-Yg.

A new patient, (d), approached us, to try the vibrational herbal medicine for stricken patients, this patient, a woman of about 68 years old, was stricken by an Ischemic stroke, several years previously. She had taken chemical stroke medication, was not improving, but barely holding her own. Her family believed that the vibrational herbal medicine may make an improvement in her condition. Our initial examination indicated that her condition did not require any of the treatments except number (4), which appeared to influence her shadow energies and bring them into a positive note. The objective of the four treatments is to dissolve the clot, even after several years, and to reinvigorate the capillaries of the brain, gently, so as not to cause any new damage. This is believed to happen by eliminating the negative shadow energy values, slowly, and assess the percentage of dissolution of the clot, if possible. The treatment (4) was prescribed for 15 days:

Days:	1	3	4	6	9	10	11	12	13	14	15
Q =	-29		-20	-10	9	15	25	35	55	75	90
Yn =	-28		-20								
Yg =	-30		-24								
Ω =	-20		-15	-10	4	8	14	18	25	29	33
Percentage of clot dissolved					30%	36%			60%	80%	90% (our estimates)

Table 5

The results indicated to us that a change has occurred in the condition of the patient in our readings. How did the patient feel her condition has changed, is what our check is to find out. The patient felt a general feeling of stamina, energy and well-being. She felt steadier on her feet and sure of her footing, especially when making sudden changes in direction. The percentage measured as an indication of dissolution of the clot could not be confirmed, as the patient did not perform any scans on the brain to show whatever changes that may have occurred. We could not ascertain that a reduction of the brain clot is reduced, except by the physical observation of the patient herself.

**Results**

- 1. Our decision to start with a mixture to test the reaction of the capillaries that had not been used for along time, was quite warranted.
- 2. No adverse reaction was detected by any of the patients during the administration of the four mixtures.
- 3. There was a general tendency to tolerate the mixtures without any adverse reaction, even with patient with hemorrhagic clot, who did not seem to be affected positively by the two mixtures administered to him.
- 4. The other three cases responded quite well to the four treatments, and were well affected and had very positive reactions.
- 5. The patients varied from having been stricken several years or just a couple of years, they reacted quite well to the treatments, and it affected them well, both physically and emotionally.
- 6. The one case of hemorrhagic clot did not respond as anticipated. It may have been that the damage to the capillaries is irreparable.
- 7. The results indicated that this trial was safe and may be used on any patient, taking into account the sequence of the treatments.



### Conclusion

1. The treatment of brain clots that were not promptly treated using the prevailing protocols, could be treated by vibrational herbal mixtures (VHM) with some relief to the patients.
2. The results were not positive in hemorrhagic clots.
3. The treatment should follow the procedure outlined in the study, to expect positive results.
4. The relief felt by patients after each treatment lasted for a few weeks, meaning that several follow ups are necessary.
5. The improvements, although significant, but are not permanent.
6. One should continue to strive for a more permanent improvement in later trials [1-18].

### Bibliography

1. Almoez LeDin Allah MS Eltouny. "Basis of scientific advancement in ancient times". *EC Clinical and Medical Case Reports* (2021).
2. Eltouny Almoez. "Treatment of MS by using Herbal Mixtures". *New York Science Journal* 11 (2018): 12.
3. Almoez LeDin Allah MS Eltouny. "Treatment of HIV with Vibrational Herbal Medicine". *Archives of Clinical and Medical Case Reports* 3 (2018): 11-22.
4. Almoez Le Din Allah MS Eltouny. "The Treatment of Fibromyalgia Using Vibrational Herbal Medicine and the Laws of Ancient Wisdom". *Archives of Clinical and Medical Case Reports* 2.6 (2018): 254-260.
5. Almoez Eltouny. "Quest to Find an Herbal Treatment for Viral Hepatitis C Viral". *EC Clinical and Medical Case Reports* 2.7 (2019): 359-378.
6. Almoez LeDin Allah MS Eltouny. "Autoimmune Diseases as Characterized by Vibrational Herbal Medicine". *EC Clinical and Medical Case Reports* 2.9 (2019): 1-10.
7. Eltouny Almoez. "The Description of Viruses according to Vibrational Herbal Medicine and the Laws of Ancient Wisdom". *Fortune Journal, Archives of Clinical and Medical Case Reports* ISS 2575. 9655.
8. Almoez LeDin Allah. "The treatment of breast cancer using herbal mixtures with vibrational herbal medicine". *EC Clinical and Medical Case Reports* 3.2 (2020): 01-07.
9. "The Treatment of the New Corona Virus". *Fortune Journal, Archives of Clinical and Medical Case* (2020).
10. Almoez Eltouny. "Treatment of Alzheimer disease using herbal medicine" (2020).
11. Eltouny Almoez. "Vibrational Herbal Vaccine for Covid-19". *EC Clinical and Medical Case Reports Research* 3.8 (2020).
12. Eltouny Almoez. "Covid-19 twelve months later". *EC Clinical and Medical Case Reports* (2021).
13. Eltouny Almoez. "The treatment of Mediterranean basin fever. Vibrational herbal medicine". *EC Clinical and Medical Case Reports* (2021).
14. Almoez Eltouny. "The treatment of Burkitt lymphoma with vibrational herbal medicine" (2021).
15. Eltouny Almoez. "Treatment of aphasia using herbal mixtures". *EC Clinical and Medical Case Reports*.

16. Almoez Eltouny. "Parkinson's Disease Revisited". *EC Clinical and Medical Case Reports* (2023).
17. Almoez Eltouny. "The treatment of monkey pox with vibrational herbal medicine "MPOX". *EC Clinical and Medical Case Reports* (2024).
18. Almoez Eltouny. "The treatment of Parkinson's Disease by vibrational herbal medicine and the laws of ancient wisdom". *EC Clinical and Medical Case Reports Journal* (2020).

**Volume 13 Issue 5 May 2024**

**©All rights reserved by Almoez LeDin Ellah MS Eltouny.**