ECRONICON OPEN ACCESS

EC PAEDIATRICS
Opinion

The Shifting Requirements of COVID Vaccines are Irresponsible

AJ Russo*

Visiting Professor, Hartwick College, Oneonta, NY and Research Director, Mensah Research Institute, Warrenville, Il, USA

***Corresponding Author**: AJ Russo, Visiting Professor, Hartwick College, Oneonta, NY and Research Director, Mensah Research Institute, Warrenville, Il, USA.

Received: June 04, 2025; **Published:** June 19, 2025

As of the writing of this Op-Ed, the Centers for Disease Control and Prevention (CDC) has removed the COVID-19 vaccine from its recommended immunization schedule for healthy children and pregnant women.

Vaccination against COVID-19 is crucial for healthy children and pregnant women due to the protective benefits it offers for both populations. COVID-19 has demonstrated considerable morbidity and mortality, particularly affecting these vulnerable groups. Pregnant women, for instance, face heightened risks of severe disease from COVID-19. Studies indicate that vaccinated pregnant women experience significantly lower instances of severe COVID-19 than their unvaccinated counterparts, vital for maternal and fetal health [1,2]. Moreover, the placental transfer of antibodies from vaccinated mothers provides passive immunity to newborns, reducing the risk of severe infections in infants [1,2].

The challenges surrounding vaccination acceptance among pregnant women and the general public necessitate an examination of various factors that influence their willingness to get vaccinated. Psychological barriers often play a significant role, as fear and misinformation impede vaccination uptake [3,4]. Trust in healthcare information and perception of safety are substantial predictors of vaccination decisions among pregnant women [4]. Additionally, educational levels significantly impact willingness to vaccinate; women with higher education levels are more informed and thus more likely to accept vaccination against COVID-19 [5].

For healthy children, vaccinating against COVID-19 serves as a means of community protection through herd immunity, essential for curbing the virus's spread [6]. A vaccinated child protects themselves from potential severe outcomes and contributes to the broader health of vulnerable populations who may not yet be eligible for vaccination, such as infants too young to receive the vaccine. This collective immunity is especially critical given the highly contagious nature of COVID-19 variants that have emerged throughout the pandemic [7].

The psychosocial factors influencing decision-making regarding childhood vaccination are also significant. Parents' concerns about vaccine safety and efficacy often stem from social media narratives, which can skew public perception [8,9]. Clear communication from healthcare providers and positive messaging from trusted community leaders are vital in improving vaccine acceptance rates among parents [5]. Studies indicate significant increases in vaccination acceptance when parents receive well-sourced information [10].

One notable concern is misinformation surrounding vaccine safety, particularly regarding potential side effects in fetuses and infants. Research indicates no association between COVID-19 vaccines and severe adverse effects during pregnancy or breastfeeding, which helps alleviate some concerns mothers might have [11]. Studies have suggested that vaccinated pregnant women and their infants show no significant adverse outcomes compared to unvaccinated individuals, reinforcing the safety narrative within medical communities [7,11].

The findings regarding the importance of educational and informational resources are consistent across studies. Evidence indicates that family and community support significantly enhances vaccine uptake among pregnant women, demonstrating that inclusive vaccine discussions lead to more positive outcomes [12]. Furthermore, healthcare systems should amplify efforts in patient education, clearly outlining the risks and benefits of vaccination, particularly in prenatal and pediatric care settings [13].

Additionally, maintaining routine vaccinations, such as against influenza, during the COVID-19 pandemic has heightened awareness about the importance of immunizations in general [6,14]. Influenza and COVID-19 can have overlapping complications; parents and pregnant women must be informed about dual vaccination strategies to protect against both pathogens [14,15].

In light of these findings, it becomes clear that initiating vaccination programs targeting healthy children and pregnant women can significantly impact public health amidst ongoing pressures from virus outbreaks. Comprehensive educational campaigns and vaccination initiatives could increase willingness to participate in vaccination programs across demographics, fostering an environment where public trust in vaccines is strengthened. The implications of protecting these populations reinforce a commitment to safeguarding individual well-being and the broader societal health landscape.

The significance of vaccinating healthy children and pregnant women against COVID-19 is underscored by the reduction in disease severity, the prevention of transmission, and the establishment of community immunity. These groups are integral to protecting individual health and maintaining public health and safety. Effective management of misinformation, combined with educational outreach to enhance understanding of vaccination benefits and safety, can lead to improved acceptance rates in these demographics, thus strengthening society's overall health.

The COVID-19 vaccines are safe and effective. Vaccinating children is critical in preventing childhood disease and transmission to potentially more vulnerable populations. COVID-19 vaccination during pregnancy is necessary because it protects both the mother and baby and prevents severe complications. The benefits of immunization significantly outweigh any potential risks, making it an essential preventive measure for children and all pregnant women. It is irresponsible not to recommend and support its use.

Bibliography

1. Zdanowski W., *et al*. "Tolerability of the BNT162b2 COVID-19 vaccine during pregnancy among Polish healthcare professionals". *Vaccines* 10.2 (2022): 200.

2. Ma Y., *et al*. "Effectiveness and safety of COVID-19 vaccine among pregnant women in real-world studies: a systematic review and meta-analysis". *Vaccines* 10.2 (2022): 246.

3. Galanis P., *et al*. "Psychosocial predictors of COVID-19 vaccine uptake among pregnant women: a cross-sectional study in Greece". *Vaccines* 11.2 (2023): 269.

4. Galanis P., *et al*. "Uptake of COVID-19 vaccines among pregnant women: a systematic review and meta-analysis". *Vaccine (Basel)* 10.5 (2022): 766.

5. Aisyah RD., *et al*. "Determinant factors involved in pregnant women's willingness to receive the COVID-19 vaccine". *Jurnal Ilmu Kesehatan* 10.2 (2022): 231-239.

6. Wang R., *et al*. "Acceptance of seasonal influenza vaccination and associated factors among pregnant women in the context of the COVID-19 pandemic in China: a multi-center cross-sectional study based on the health belief model". *BMC Pregnancy and Childbirth* 21.1 (2021): 745.

7. Ma Y., *et al*. "Effectiveness and safety of COVID-19 vaccine among pregnant women in real-world studies: a systematic review and meta-analysis". *Vaccines* 10.2 (2022): 246.

8. Budiati E., *et al*. "Determinants of COVID-19 vaccine acceptance in pregnant women, Indonesia: a literature review". *Jurnal Penelitian Pendidikan IPA* 9 (2023): 104-112.

9. Dabian B., *et al*. "Attitude of Egyptian pregnant women to COVID-19 vaccination". *Evidence-Based Women's Health Journal* 13.3 (2023): 298-302.

10. Egloff C., *et al*. "Pregnant women's perceptions of the COVID-19 vaccine: a French survey". *Plos One* 17.2 (2022): e0263512.

11. Simanjuntak L and Simanjuntak BC. "COVID-19 vaccination status and pregnant women's perceptions of Indonesia's pandemic Omicron COVID-19 wave". *Jurnal Kesehatan Masyarakat* 18.3 (2023): 365-374.

12. Asikasari ND., *et al*. "Willingness to follow the COVID-19 vaccination pandemic conditions for pregnant women and their families". *Science Midwifery* 11.1 (2023): 270-276.

13. Skirrow H., *et al*. "Women's views on accepting COVID-19 vaccination during and after pregnancy, and for their babies: a multi-methods study in the UK". *BMC Pregnancy and Childbirth* 22.1 (2022): 33.

14. Pisula A., *et al*. "Pregnant women's knowledge of and attitudes towards influenza vaccination during the COVID-19 pandemic in Poland". *International Journal of Environmental Research and Public Health* 19.8 (2022): 4504.

15. Şimşekoğlu N., *et al*. "Attitudes toward COVID-19 vaccines during pregnancy and breastfeeding". *Frontiers in Public Health* 12 (2024): 1286891.

Volume 14 Issue 7 July 2025
©All rights reserved by AJ Russo.