

# EC PSYCHOLOGY AND PSYCHIATRY

# **Literature Review**

# Substance Use among Adolescents: Risk Factors, Determinants and Prevention

Fares Ghaleb Ghabayen<sup>1</sup>, Mohammad ALBashtawy<sup>2</sup>\*, Ahmad Ayed<sup>3</sup>, Bayan AlBashtawy<sup>4</sup>, Abdullah Alkhawaldeh<sup>5</sup>, Fadi Fawares<sup>6</sup> and Sa'd AlBashtawy<sup>7</sup>

- <sup>1</sup>Master Student, Community Health Nursing, Princess Salma Faculty of Nursing, AL al-Bayt University, Jordan
- <sup>2</sup>Professor, Princess Salma Faculty of Nursing, AL al-Bayt University, Jordan
- <sup>3</sup>Faculty of Nursing, Arab American University, Palestine
- <sup>4</sup>Medical Intern, King Abdullah University Hospital, Jordan.
- <sup>5</sup>Associate Professor, Princess Salma Faculty of Nursing, AL Al-Bayt University, Jordan.
- <sup>6</sup>Nurse Educator at King Hussein Cancer Center, Amman, Jordan.
- <sup>7</sup>Faculty of Medicine, Hashemite University, Zarqa, Jordan, Jordan.

\*Corresponding Author: Mohammed ALBashtawy, Professor, Princess Salma Faculty of Nursing, AL al-Bayt University, Jordan.

Received: June 12, 2021; Published: July 30, 2021

## **Abstract**

Substance use is an important issue that concerns adolescents. This review paper aimed to illustrate the risk factors, determinants, and interventions that can be used to prevent and reduce substance use among adolescents. An electronic searching was performed in three electronic databases: EBSCO, CINHAL, and PubMed. There are many factors that affect substance use among adolescents. Parents and the community can carry out several interventions to prevent and reduce substance use among adolescents.

Keywords: Substance Use; Adolescents; Determinants

### Introduction

Adolescence is the stage of life between childhood and adulthood, from the age of 10 to 19. It is a unique stage of human development and an important time for laying the foundations for good health [1].

There are many health problems facing adolescents; related to growth and development, school, childhood diseases, mental health disorders, illegal behaviors, injuries, infectious diseases, substance use, traffic accidents, and violence that cause death and disability for adolescents [2-21]. Psychosocial adjustment is a milestone at this stage; it is related to a self-challenge in matters of identity, autonomy and relationships. Psychosocial disorders are most common in adolescence. Many problems occur at this stage such as obesity problems, substance use and violent behavior, which can cause health problems, chronic diseases, or morbidity later in life [22,23].

The concept "substance use" refers to "the use of drugs or alcohol, and includes substances such as cigarettes, illicit and prescription drugs, inhalants and solvents" [24]. This problem occurs when using alcohol or other drugs that cause harm to an individual or others, and it may lead to addiction [25-27]. The most common substances used are tobacco, marijuana and alcohol. For example, about two thirds of students have tried alcohol by the 12<sup>th</sup> grade, and almost 2 out of 10 used the medications without a prescription [28].

Substance use affects the growth and development of adolescents, especially brain development. Adolescents display risky behaviors and contribute to the development of health problems in adults such as heart disease, high blood pressure, sleep disorders [29] and many other types of chronic illnesses [30-48],

# Aim of the Study

This study aims to review the key literature regarding the risk factors, determinants, and interventions that help in reducing and preventing substance use among adolescents.

#### Method

#### Search methods

The search was achieved in some databases including EBSCO, CINHAL, and PubMed. The keywords were "Substance Use", "Adolescents", "Determinants". Papers published between 2010 and 2021 were obtained. Those published in the English language that assess substance use among adolescents in terms of risk factors, determinants, were included in the current review. Studies involving other age groups were excluded. In addition, review articles, comments, editorials, letters, books, and thesis reports were excluded from the present study.

#### Search outcome

A literature search produced 150 titles for review. The final examination leads to 10 articles, excluding articles consisting only of abstracts and unrelated articles.

#### Results and Discussion

Adolescence is an important stage in a person's life. It is considered a transitional stage, and at this stage, substance use is a public health concern. Many factors affect substance use based on the adolescent's perception such as the poor relationship between parents and their adolescents, poor observation by parents, family conflicts, boredom, peer using the drug, poor knowledge about the risks of substance use, availability of the substance in the community and schools, as well as lack of educational campaigns [49,50].

Electronic bullying "Cyber bullying" is a new form of bullying through the use of various social media platforms to harass, humiliate, and intentionally threaten others in a repetitive and hostile way. The roles of cyber bullying are witness, victim and perpetrator. The witness role is enough to be associated with the risks of future substance use in adolescents with or without the other two roles. There is a relationship between cyber bullying and the use and poly use of substances among youth, such as the recent increase in electronic cigarette use, marijuana and opioids [51,52].

Among the determinants that affect substance use in adolescents are coping efficacy and perceived social support from family, they have a negative relationship with adolescents' substance use. While psychological stress has a positive relationship with substance use in adolescents [53,54]. Substance use increases among depressed adolescents [55,56].

Self-medication of over-the-counter medications is an example of substance use among school students. In Jordan, the prevalence of self-medication among school students is high because many types of medications are easily accessible from local pharmacies without physician prescriptions [57-61].

In Turkey, a study indicated the risk factors for substance use as the following: studying in vocational schools, negative feelings towards school, the feeling of lack of success in school, failure in school, absenteeism from school, and smoking and the use of alcohol by families and friends of adolescents [62].

Parents and community can carried out several interventions to prevent and reduce substance use among adolescents, such as closed monitoring by parents, enhance the relationship between parents and adolescents, the adolescence's allowance is proportional to their

36

needs, enhance the parent's awareness about substance use and its risks, selecting of peers, being aware of substance abuse, install closed-circuit television in the schools, student's bag should be checked regularly, psychological support should be affordable in schools, increase the control on shops selling tobacco and enhance the policy that controls the substance use [63]. As well, training of adolescents on effective coping methods, increase perceived social support from the family, reduce stress and anxiety surrounding adolescents, and protect teens from cyber bullying [54].

Simultaneously, there is a need to develop policies and legislate laws to control over the supply of medications without medical prescriptions. The role of the Ministry of Education and the Ministry of Health should be activated by providing counseling and educational programs for students. In addition to the role of and the participation of school health nurses and local health workers in disseminating health education campaigns about the safe use of medications by school students, parents and families [57].

Finally, although there are difficulties in conducting large-scale surveys on substance use among adolescents, it is important to provide up-to-date data that can help in dealing with substance use through education [64-72], prevention and policy development, effectively usage of resources and meet the needs of those at high risk of substance misuse and harms caused by substance use [64].

#### Conclusion

Adolescence is an important stage in a person's life in which physiological and psychological changes occur, which influence one's future life. The use of substances is one of the most important problems facing adolescents. It is important to identify risk factors and determinants of substances use in order to help parents, decision makers and the community to intervene effectively in this issue.

# **Bibliography**

- 1. WHO. "Adolescent and young adult health" (2021).
- 2. Al Bashtawy M and Hasna F. "Pediculosis capitis among primary-school children in Mafraq Governorate, Jordan". *EMHJ-Eastern Mediterranean Health Journal* 18.1 (2012): 43-48.
- 3. ALBashtawy M. "Head lice infestation in schoolchildren and related factors in Mafraq governorate, Jordan". *International Journal of Dermatology* 51.2 (2012): 168-172.
- 4. ALBashtawy M. "Oral health patterns among schoolchildren in Mafraq Governorate, Jordan". *The Journal of School Nursing* 28.2 (2012): 124-129.
- 5. AlBashtawy M., et al. "Refractive errors among 7-16-year-old children". British Journal of School Nursing 7.7 (2012): 350-354.
- 6. Mansi K., et al. "Biochemical factors relevant to kidney functions among Jordanian children with beta-thalassemia major treated with deferoxamine". International Journal of Medicine and Medical Sciences 5.8 (2013): 374-379.
- 7. Khamaiseh A and ALBashtawy M. "Oral health knowledge, attitudes, and practices among secondary school students". *British Journal of School Nursing* 8.4 (2013): 194-199.
- 8. ALBashtawy M., *et al.* "Looking at school nurses' roles in tackling overweight and obesity". *British Journal of School Nursing* 9.8 (2014): 402-404.
- 9. ALBashtawy M. "Exploring the reasons why school students eat or skip breakfast". Nursing Children and Young People 27.6 (2015).
- 10. Alazzam M., *et al.* "Advantages and disadvantages of studying the family as a context approach when dealing with a school aged child diagnosed with attention deficit hyperactivity disorder". (2016): 1369-1370.

- 11. Khamaiseh A and ALBashtawy M. "Prevalence of obesity and physical inactivity behaviors among nursing students in Mutah University, Jordan". World Journal of Medical Sciences 12.2 (2015): 95-102.
- 12. ALBashtawy M. "Overweight and obesity interventions and prevention strategies". Nursing Children and Young People 27.7 (2015).
- 13. ALBashtawy M. "Personal hygiene in school children aged 6–12 years in Jordan". British Journal of School Nursing 10.8 (2015): 395-398.
- 14. ALBashtawy M. "Obesity and Body Image Perception among Adolescents". EC Psychology and Psychiatry 4.6 (2017): 2016-2017.
- 15. Batiha A., *et al.* "The relationship between physical activity and diet, and overweight and obesity, in young people". *Nursing Children and Young People* 33.3 (2021).
- 16. Al-Awamreh K., *et al.* "Prevention Strategies and Guidelines to Manage Obesity in Children and Young People". *International Journal of Pediatrics* 7.9 (2019): 10043-10047.
- 17. ALBashtawy M. "Breakfast eating habits among schoolchildren". Journal of Pediatric Nursing 36 (2017): 118-123.
- 18. Alkhawaldeh A., et al. "Behavioural approaches to treating overweight and obesity in adolescents". Nursing Children and Young People 29.9 (2017): 44-46.
- 19. ALBashtawy M., et al. "Epidemiology of nonfatal injuries among schoolchildren". The Journal of School Nursing 32.5 (2016): 329-336.
- 20. Al Azzam M., et al. "Prevalence of attention deficit hyperactivity disorder among school-aged children in Jordan". *Eastern Mediterranean Health Journal* 23.7 (2017): 486-491.
- 21. Albashtawy M. "Pediculosis in School Sitting: What Is the Role of School Nurses?" *Iranian Journal of Public Health* 46.9 (2017): 1301.
- 22. Levy S. "Introduction to problems in adolescents". (2020).
- 23. Oshri Assaf., *et al.* "Developmental growth trajectories of self-esteem in adolescence: associations with child neglect and drug use and abuse in young adulthood". *Journal of Youth and Adolescence* 46.1 (2017): 151-164.
- 24. McCance-Katz Elinore F. "The national survey on drug use and health: 2017". Substance Abuse and Mental Health Services Administration (2019).
- 25. HealthLink BC. "Substance use". (2019).
- 26. Khatatbeh MM., et al. "Prevalence of nicotine dependence among university students in Jordan: a cross-sectional study". *Epidemiology, Biostatistics and Public Health* 16.2 (2019).
- 27. Al-zubi B., et al. "Barriers to reporting medication errors among nurses: A review paper". EC Psychology and Psychiatry 9.8 (2020): 1-5.
- 28. Johnston LD., *et al.* "Monitoring the Future national survey results on drug use, 1975-2014: Volume II, college students and adults ages 19-55". (2015).
- 29. CDC. "Teen Substance Use and Risks". (2020).
- 30. Qaddumi J., et al. "Prevalence of hypertension and pre-hypertension among secondary school students". International Journal of Advanced Nursing Studies 5.2 (2016): 240.
- 31. Alkhawaldeh A., *et al.* "Assessment of Northern Jordanian adolescents' knowledge and attitudes towards asthma". *Nursing Children and Young People* 29.6 (2017). |

- 32. ALBashtawy M. "Assessment of hand-washing habits among school students aged 6–18 years in Jordan". *British Journal of School Nursing* 12.1 (2017): 30-36.
- 33. Alazzam M., et al. "Pattern of interaction and relationships between family members". International Journal of Health 5.1 (2017): 45-47.
- 34. Alhalaiqa F., *et al.* "Knowledge and attitudes of Jordanian university students toward epilepsy: a cross-sectional comparison study". *International Quarterly of Community Health Education* 38.2 (2018): 75-82.
- 35. ALBashtawy M., et al. "Assessment of headache among high school students in Jordan". The Journal of School Nursing 35.2 (2019): 88-95.
- 36. Aloush S., et al. "Effectiveness of Basic Life Support Training for Middle School Students". The Journal of School Nursing 35.4 (2019): 262-267.
- 37. Alrimawi I., et al. "Child Home Injury Hazards: Observations from Palestine". Health Science Journal 11.6 (2017): 1-7.
- 38. Al Qadire M., et al. "Predictors of anxiety and depression among parents of children with cancer in Jordan". *Psycho-oncology* 1.3 (2018).
- 39. Al Omari O., et al. "A Review of the Short Form Health Survey-Version 2". Journal of Nursing Measurement 27.1 (2019): 77-86.
- 40. Al-Kloub M., et al. "Disordered eating in Jordanian adolescents". International Journal of Nursing Practice 25.1 (2019): e12694.
- 41. Alrimawi IA., et al. "Palestinian managers' views and practices regarding the prevention of home injuries: An explorative qualitative study". The International Journal of Health Planning and Management 34.4 (2019): 1133-1143.
- 42. Khraisat O., *et al.* "Shared governance: a children's hospital journey to clinical nursing excellence". *Journal of Research in Nursing* 25.4 (2020): 347-358.
- 43. Suliman M., et al. "The incidence of peripheral intravenous catheter phlebitis and risk factors among pediatric patients". *Journal of Pediatric Nursing* 50 (2020): 89-93.
- 44. Haliq SAA., *et al.* "Automated External Defibrillator Issues and Challenges in Saudi Arabia: Knowledge Assessment among Laypersons; Public Safety Perspective". (2019).
- 45. Alhamdoun A. "Managing Preoperative Anxiety among Patients Undergoing General Surgery". EC Psychology and Psychiatry 9.6 (2020): 01-03.
- 46. Al Haliq S., et al. "Assessment on CPR Knowledge and AED Availability in Saudi Malls by Security Personnel: Public Safety Perspective". Journal of Environmental and Public Health (2020).
- 47. AlAzzam M., *et al.* "School Nurses' Role in Helping Children with Attention-Deficit/Hyperactivity Disorders". *NASN School Nurse* 32.1 (2017): 36-38.
- 48. Gharaibeh H., *et al.* "Clinical burdens of β-thalassemia major in affected children". *Journal of Pediatric Hematology/Oncology* 40.3 (2018): 182-187.
- 49. Alhyas L., *et al.* "Adolescents' perception of substance use and factors influencing its use: a qualitative study in Abu Dhabi". *Jrsm Open* 6.2 (2015): 2054270414567167.
- 50. Smith VC and Celeste RW. "Families affected by parental substance use". Pediatrics 138.2 (2016).

- 51. Kritsotakis G., *et al.* "Associations of bullying and cyberbullying with substance use and sexual risk taking in young adults". *Journal of Nursing Scholarship* 49.4 (2017): 360-370.
- 52. Yoon Y., et al. "Association of cyberbullying involvement with subsequent substance use among adolescents". *Journal of Adolescent Health* 65.5 (2019): 613-620.
- 53. Hamdan-Mansour, *et al.* "Determinants of substance use among high school students in Jordan". *Current Drug Research Reviews* (2020).
- 54. Park S and Yeni K. "Prevalence, correlates, and associated psychological problems of substance use in Korean adolescents". *BMC Public Health* 16.1 (2015): 1-9.
- 55. Malak MZ and Anas H. "Anxiety and depression among school students in Jordan: Prevalence, risk factors, and predictors". *Perspectives in Psychiatric Care* 54.2 (2018): 242-250.
- 56. Martínez-Vispo C., et al. "Effects of behavioral activation on substance use and depression: a systematic review". Substance Abuse Treatment, Prevention, and Policy 13.1 (2018): 1-13.
- 57. ALBashtawy M., et al. "Self-medication among school students". The Journal of School Nursing 31.2 (2015): 110-116.
- 58. Alkhawaldeh., et al. "Assessment of self-medication use among university students". The International Journal of Nursing Studies 7 (2020): 1-7.
- 59. Al-ghzawi H., et al. "Alcohol use among adolescents". International Journal of Humanities and Social Science 4.10 (2014): 167-175.
- 60. Albashtawy M., *et al.* "The Health Belief Model's Impacts on the Use of Complementary and Alternative Medicine by Parents or Guardians of Children with Cancer". *Iranian Journal of Public Health* 45.5 (2016): 708-709.
- 61. Alhalaiqa F., et al. "Adherence to Antipsychotic Drug Measured by an Arabic Version of Morisky Scale". *Issues in Mental Health Nursing* 37.12 (2016): 975-982.
- 62. Öztaş D., et al. "Evaluation of risk factors affecting substance use among tenth-grade students". BioMed Research International 2018 (2018).
- 63. Penney J., et al. "Epidemiology of adolescent substance use in London schools". QJM: An International Journal of Medicine 109.6 (2016): 405-409.
- 64. Al Kazaleh A and AL Bashtawy M. "Therapeutic Communication Skills in Nursing Education and Practice". *EC Psychology and Psychiatry* 8.12 (2019): 01-04.
- 65. Batiha A-M and AlBashtawy M. "Knowledge of Philadelphia University students regarding blood donation". *Transfusion Medicine* 23.3 (2013): 195-198.
- 66. ALBashtawy M. "Knowledge, attitudes, and practices of parents/guardians regarding pediculosis in the Umm el-Jimal district of Jordan". *Journal of Research in Nursing* 19.5 (2014): 390-399.
- 67. Al-ghzawi H., et al. "The impact of wars and conflicts on mental health of Arab population". International Journal of Humanities and Social Science 4.6 (2014): 237-242.
- 68. Batiha A-M and ALBashtawy B. "Attitudes and practices of health science students regarding blood donation". *International Journal of Advanced Nursing Studies* 5.1 (2016): 81.
- 69. AlAzzam M., et al. "Exploring Elementary Schoolteachers' Perceptions of Attention Deficit Hyperactivity Disorder (ADHD) in Northern Jordan". Child Psychiatry and Human Development (2021): 1-8.

41

- 70. Shudaifat Y., et al. "Managing Pain in Acute Myocardial Infarction Patients". Journal of Pulmonary and Respiratory Medicine 10.4 (2021): 1-6.
- 71. Mohammad KI., *et al.* "Informative title: Effects of social support, parenting stress and self-efficacy on postpartum depression among adolescent mothers in Jordan". *Journal of Clinical Nursing* (2021).
- 72. Al-Natour A., *et al.* "Students' Perceptions and Experiences in a Health Promotion Course Using Interactive Learning". *Heliyon* (2021): e07192.

Volume 10 Issue 8 August 2021 ©All rights reserved by Mohammed ALBashtawy., et al.